

DESCRIPTION

Stoody Railend 932 is a solid cored electrode designed specifically for repair of carbon steel railroad track components. It has excellent tensile strength to maintain the desired rail dimensions. Railend 932 has fine weldability and a good bead contour. It has a low hydrogen type of coating and is formulated for welding onto high carbon steel rails and frogs. It is not intended for use on manganese steel.

TYPICAL DEPOSIT CHARACTERISTICS

Abrasion Resistance	Moderate
Impact Resistance	Excellent
Hardness	HRC 36 – 38
Deposit Layers	Multiple
Tensile Strength	150,000 psi

ALLOY TYPE

Low Alloy Steel

TYPICAL APPLICATIONS

Typical applications include:

- Carbon Steel Railends, Wheels Burns, Frogs, and Crossing

OPERATIONAL CHARACTERISTICS / WELDING PARAMETERS

Diameter, In. (mm)	1/8 (3.2)	5/32 (4.0)
Current, Amp. DCRP	100 – 160	130 – 180
Position	Flat	Flat
Length	14"	14"

Diameter, In. (mm)	3/16 (4.8)	¼ (6.4)
Current, Amp. DCRP	170 – 240	200 – 280
Position	Flat	Flat
Length	14"	14"

STANDARD SIZES & PACKAGING

Diameter	Packaging	Part #
1/8" (3.2mm)	10# Vac Pak	11704800
5/32" (4.0mm)	10# Vac Pak	11704700
3/16" (4.8mm)	10# Vac Pak	11504600
¼" (6.4mm)	10# Vac Pak	11704600

Stoody Company

5557 Nashville Road • Bowling Green, KY 42101
1-800-426-1888

PDS-CS-E-003

Revision 2
01/03/08

NOTICE - Failure to follow manufacturer's directions for use may result in equipment or material failure and void any applicable warranty. The data provided or referenced herein is provided for informational purposes only, without guarantee or warranty and represents "typical" results when Stoody products are used in accordance with internal Stoody procedures. Other tests and procedures may produce differing results. Stoody expressly disclaims any liability resulting from reliance on this data.

PROTECT YOURSELF AND OTHERS - Users should read and follow all recommended guidance on health and safety from their employer, the supplier, the manufacturer, and government authorities. These, at a minimum include the Warning Labels on the products and the Material Safety Data Sheets ("MSDS"). The MSDS and additional safety information may be found on materials or links at: www.stoody.com.